













**Celosias Lamas fijas / Madera**  
*Volets jalousies Lames fixes / Bois*  
Louvers Fixed Blades / Wood

MADERA | BOIS | TIMBER  
 lamas fijas | lames fixes | fixed blades



- lama continua | lame filante | continuous blade
- lama enmarcada | lame encastrée | framed blade
- lama fijación vista | lame fixation visible | exposed fixation blade

MADERA | BOIS | TIMBER  
laminas fijas | lames fixes | fixed blades

W24.48/40SC.P



W36.19/40SC.P



W53.14/60AT



W76.19/50.60L



MADERA | BOIS | TIMBER

laminas fijas | lames fixes | fixed blades

modelos | modèles | models

	bastidor cadre frame	lama lame blade	modelos modèles models	E	soluciones constructivas solutions constructives constructive solutions	ancho máximo largeur max width max (mm)*	L (estándar) L (standard) L (standard)
enmarcada encastrée   framed	60AT	W36.19H	W36.19H/60AT	40mm	●	1100	25
		W36.36	W36.36/60AT	40mm	●	1200	35
		W65.25	W65.25/60AT	40mm	●	1100	25
		W53.14	W53.14/60AT	40mm	●	1200	15
	50.60L	W56.19	W56.19/50.60L	50mm	▲	1200	15
		W76.19	W76.19/50.60L	50mm	▲	1200	15
		W96.19	W96.19/50.60L	50mm	▲	1200	20
		W116.19	W116.19/50.60L	50mm	▲	1200	25

lama continua lame filante   continuos blade	40SC.P	W36.19V	W36.19V/40SC.P	66mm	▲	1200	15
		W36.36	W36.36/40SC.P	83mm	▲	1100	35
		W36.48	W36.48/40SC.P	95mm	▲	1200	45
		W24.48	W24.48/40SC.P	83mm	▲	1000	25
		W37.45	W37.45/40SC.P	92mm	▲	1100	25
		W56.19	W56.19/40SC.P	66mm	▲	1200	15
		W76.19	W76.19/40SC.P	66mm	▲	1000	15
		W96.19	W96.19/40SC.P	66mm	▲	1100	20
	60SC.P	W116.19	W116.19/40SC.P	66mm	▲	1200	25
		W36.19V	W36.19V/60SC.P	66mm	▲	1000	15
		W36.36	W36.36/60SC.P	83mm	▲	1100	35
		W36.48	W36.48/60SC.P	95mm	▲	1200	45
		W24.48	W24.48/60SC.P	83mm	▲	1000	25
		W37.45	W37.45/60SC.P	92mm	▲	1100	25
		W56.19	W56.19/60SC.P	66mm	▲	1200	15
		W76.19	W76.19/60SC.P	66mm	▲	1000	15
	40SC	W96.19	W96.19/60SC.P	66mm	▲	1100	20
		W116.19	W116.19/60SC.P	66mm	▲	1200	25
		W56.19	W56.19/40SC	66mm	▲	1200	15
		W76.19	W76.19/40SC	66mm	▲	1000	15
	60SC	W96.19	W96.19/40SC	66mm	▲	1100	20
		W116.19	W116.19/40SC	66mm	▲	1200	25
		W56.19	W56.19/40SC	66mm	▲	1200	15
		W76.19	W76.19/40SC	66mm	▲	1000	15

\* Ancho máximo sin travesaños vertical | \* largeur max sans montant central | \* maximum width without vertical transom

soluciones constructivas | solutions constructives | constructive solutions

■ marco fijo | cadre fixe | fixed frame

▲ fijo y corredera | fixe & coulissant | fixe & sliding

● todas | tous | all

E= espesor bastidor | épaisseur de cadre | frame thickness

□ enmarcada | encastrée | framed

.... continua | filante | continuos

👁 vista | visible | exposed

👁 oclulta | cachée | concealed

✓ solape | chevauchent | overlap

enmarcada <i>encastrée</i> framed	continua <i>filante</i> continuos	fijación <i>fixation</i> fixation	opciones   <i>options</i>   options	
			paso variable <i>pas variable</i> variable pitch	solape <i>chevauchement</i> overlap

				✓
				✓

	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			
	.....			







vivienda plurifamiliar | *habitat collectif* | apartment blocks  
W116.19/50.60L  
Sabadell



vivienda plurifamiliar | *Habitat collectif* | Apartment blocks  
W36.36/40SC.P  
SaaS Arquitectes  
Barcelona

